# AUTHOR INDEX

Abe, K., 243
Arakawa, M., 293

Bagotzky, V. S., 259
Balkanski, M., 213
Bergman, G. M., 179
Bernard, C., 305
Besenhard, J. O., 253
Bonino, F., 333
Brackmann, E., 157
Brec, R., 205
Broussely, M., 111

Cheradame, H., 339
Cohen-Addad, J. P., 339
Cutchen, J. T., 27

Dao-zhi Bi, 145
Defendini, F., 339
Devynck, J., 221
Dhamelincourt, M. C., 69
Dominey, L. A., 287

Ebel, S. J., 179
Eda, N., 119
Endo, M., 99

Fahys, B., 305
Fatseas, G. A., 205
Fujii, T., 119

Gabano, J. P., 111
Gandini, A., 339
Garreau, M., 9
Geronov, Y., 37
Goldman, J. L., 287
Goto, F., 243
Gürtler, J., 253

Hagiwara, R., 87, 93
Hallmeier, K. H., 157
Hanawa, H., 231
Herlem, M., 305
Hirai, T., 293

Ilić, D., 157
Ishiyama, I., 193

Ismail, M. I., 75, 81
Iwamaru, T., 47

Jacobsen, T., 165
Jaeger, C. D., 27
Jouanne, M., 213
Julien, C., 213
Jumel, Y., 111

Kanamura, K., 127, 231
Kanno, R., 151
Kasahara, N., 265
Kazarinov, V. E., 259
Keister, P., 179
Kikkawa, S., 311
Kishi, T., 187
Koch, V. R., 287
Koizumi, M., 311
Komenda, P., 253
Koshina, H., 119
Kumagai, N., 193

Langmuir, M. E., 287
Lecerf, A., 111
Lelieur, J. P., 69
Le Nest, J. F., 339
Levy, S. C., 27

Matsuda, Y., 19, 273, 299
Matsui, N., 135
Mermoux, M., 105
Messina, R., 221
Min-liang Lin, 141
Miura, T., 187
Mogensen, M., 53
Momose, T., 99
Morimoto, H., 243
Morishita, T., 199
Morita, A., 119
Morita, M., 273, 299
Moriya, K., 93
Murakami, K., 119
Muranushi, Y., 187

Nagai, T., 187
Nagano, S., 327
Nakajima, T., 87, 93

Naoi, K., 237
Nishihama, H., 265

Ogano, S., 237
Ogata, N., 327
Ogawa, H., 119
Ohsaki, T., 61
Okabayashi, K., 243
Okada, S., 173
Okada, T., 173
Osaka, T., 237
Østergård, M. J. L., 165
Ottaviani, M., 333
Ouvrard, G., 205
Oyabe, Y., 151

Pavlova-Stoynov, B., 37
Paxinos, A., 253
Pereira-Ramos, J.-P., 221
Piolet, C., 221
Pistoia, G., 333
Plichta, E., 279
Poulsen, F. W., 317
Puresheva, B., 37

Robert, G., 305

Sakai, H., 237
Sakurai, Y., 173
Salomon, M., 279
Sanui, K., 327
Schneider, W., 157
Scrosati, B., 333
Shi-da Wang, 141
Shinya, Y., 151
Slane, S., 279
Steger, E., 157

Taguchi, S., 249
Takeda, Y., 151
Takehara, Z., 1, 127, 231
Takeuchi, E. S., 179
Tanaka, T., 249
Taniguchi, M., 199
Tanno, K., 193
Thomas, E. V., 27
Tobishima, S., 293

© Elsevier Sequoia/Printed in The Netherlands

Touhara, H., 99
Touzain, Ph., 105

Uchida, T., 199
Uchiyama, M., 279
Uetani, Y., 47

Wakamatsu, H., 199
Wakihara, M., 199
Wallart, F., 69
Watanabe, M., 327
Watanabe, N., 87, 93, 99
West, K., 165
Whangbo, M.-H., 205
Wiesener, K., 157

Yamaki, J., 3, 173, 293
Yamamoto, O., 151
Yamane, H., 311
Yazami, R., 105
Ye-xian Jin, 141
Yong-zhen Zhang, 141
Yoshida, T., 243
Yuasa, K., 127
Yu-feng Hou, 141

Zachau-Christiansen, B., 165

# SUBJECT INDEX

A. C. impedance study
of Li in sulfur dioxide electrolytes, 37
Ammoniates
influence of water addition on structural and electrochemical behaviour of liquid; study of $LiClO_4 \cdot 4NH_3$ ammoniate/$H_2O$ mixtures, 305
Anion behaviour
in polyacetylene cathode for secondary Li battery, 231
Anion diffusion process
analysis of; application of electrochemically formed polypyrrole in Li secondary batteries, 237
Anions
as supporting electrolytes for rechargeable batteries, new, 287

Battery(ies)
Li
in China, research and development, 145
diffusion of Li in $TiO_2$ cathode of, 127
with fibrous carbon fluoride, discharge characteristics of, 99
future of; round table discussion, 345
stable electrolytes for, 19
testing techniques for materials used in, 75
Li foils for, study of surface layers on, 265
Li rechargeable
new anions as supporting electrolytes for, 287
development of, 3
electrochemical and structural characteristics of Nb(V) oxide in, 193
employing a porous thin film of $Cu_{3+\delta}Mo_6S_{7.9}$, 199
organic electrolyte solutions for, 273
Li secondary
anion behaviour in polyacetylene cathode for, 231
application of electrochemically formed polypyrrole in, analysis of anion diffusion process, 237
electrochemical behaviour of amorphous $V_2O_5(-P_2O_5)$ cathodes for, 173
ethylene carbonate/ether solvents for electrolytes in, 293
fibrous polyaniline as positive active material in, 249
Li–thionyl chloride, as memory back-up power source, characteristics of, 47
materials testing package for, and energy conversion systems, 81
polyaniline/Li, 243
Battery cathode
Li, amorphous chromium oxide, new, 151
Battery performance
effects of additive material $CuFeS_2$ on Li/CuO, 119

Carbon fluoride
discharge characteristics of Li battery with fibrous, 99
Cathode(s)
amorphous $V_2O_5(-P_2O_5)$, for Li secondary batteries, electrochemical behaviour of, 173
InSe, electron and phonon aspects in Li intercalated, 213
polyacetylene for secondary Li battery, anion behaviour in, 231
$TiO_2$, of Li battery, diffusion of Li in, 127
Cathode composition
Li–graphitic oxide cells; influence of electrolyte and, 105
Cell(s)
Li, discharge reaction and overpotential of graphite fluoride cathode in nonaqueous, 87
Li/Ag vanadium oxide, heat dissipation from, during storage and low-rate discharge, 179

© Elsevier Sequoia/Printed in The Netherlands

Li–graphitic oxide, influence of electrolyte and cathode composition, 105
Li–I, with additive in poly(2-vinylpyridine) iodide, long-term discharge characteristics of, 141
Li rechargeable
solvent effects on, 279
vanadium oxides as electrode materials for, 165
vanadium oxides in electrodes for, 157
Li/$SOCl_2$, *in situ* micro-Raman study of discharge products of, 69
Chromium oxide
amorphous, new Li battery cathode, 151
Conductivity
structure–, relationship in polymer electrolytes formed by network polymers from poly[dimethylsiloxane-g-poly(ethylene oxide)] and lithium perchlorate, 327
Copper
effects of additive material $CuFeS_2$ on Li/CuO battery performance, 119
Li/$Cu_4O(PO_4)_2$ couple; new version for long-life low-rate applications, 111
rechargeable Li battery employing porous thin film of $Cu_{3+\delta}Mo_6S_{7.9}$, 199
Cyclability
of Li electrode, 9
Cycling characteristics
of Li, effect of solvent blending on, 299

Discharge characteristics
of graphite fluoride prepared via graphite oxide, 93
of Li battery with fibrous carbon fluoride, 99
of Li–I cells with additive in poly(2-vinylpyridine) iodide, long-term, 141
Discharge products
of Li/$SOCl_2$ cells, *in situ* micro-Raman study of, 69
Discharge reaction
and overpotential of graphite fluoride cathode in nonaqueous lithium cell, 87

Diffusion
of Li in $TiO_2$ cathodes of Li battery, 127

Electrochemical behaviour
of amorphous $V_2O_5(-P_2O_5)$ cathodes for Li secondary batteries, 173
influence of water addition on structural and, of liquid ammoniates; study of $LiClO_4 \cdot 4NH_3$ ammoniate/$H_2O$ mixtures, 305
Electrochemical characteristics
of Nb(V) oxide in rechargeable Li battery, 193
Electrochemical properties
of double-metal nitrides containing Li, preparation and, 311
Electrode(s)
Li, cyclability of, 9
vanadium oxides as, for rechargeable Li cells, 65
Electrode kinetics
in poly(ethylene oxide)-based electrolytes, 333
Electrode materials
vanadium oxides as, for rechargeable Li cells, 165
Electrolyte(s)
new anions as supporting, for rechargeable Li batteries, 287
composite Li, effect of different internal surfaces in, 317
ethylene carbonate/ether solvents for, in Li secondary batteries, 293
Li–graphitic oxide cells; influence of, and cathode composition, 105
Li intercalation materials with organic solvents and molten salts as, at temperatures between 60 and 175 °C, investigation of, 221
poly(ethylene oxide)-based, electrode kinetics in, 333
stable, for lithium batteries, 19
structure–conductivity relationship in polymer, formed by network polymers from poly[dimethylsiloxane-g-poly(ethylene oxide)] and lithium perchlorate, 327
sulfur dioxide, a.c. impedance study of Li in, 37
Electron
and phonon aspects in Li intercalated InSe cathode, 213

Energy conversion systems
materials testing package for batteries and, 81
Ethylene carbonate
/ether solvents for electrolytes in Li secondary batteries, 293

Fluoride
discharge reaction and overpotential of graphite fluoride cathode in non-aqueous Li cell, 87

Graphite fluoride
discharge characteristics of, prepared via graphite oxide, 93
Graphite fluoride cathode
in nonaqueous Li cell, discharge reaction and overpotential of, 87
Graphitic oxide
Li–, cells; influence of electrolyte and cathode composition, 105

Heat dissipation
from Li/Ag vanadium oxide cells during storage and low-rate discharge, 179

Impedance analysis
of lithium systems, 135
Indium
Li intercalated InSe cathode, electron and phonon aspects in, 213
Intercalation materials
investigation of Li, with organic solvents and molten salts as electrolytes at temperatures between 60 and 175 °C, 221
Internal surfaces
in composite Li electrolytes, effect of different, 317
Iodine
Li–, cells with additive in poly(2-vinylpyridine) iodide, long-term discharge characteristics of, 141
Ionic conduction
in polyether–polyurethane networks containing lithium perchlorate, mechanism of, 339
Iron
effects of additive material $CuFeS_2$ on Li/CuO battery performance, 119
nature of oxidizing centres in transition metal phosphorus trisulfides $MPS_3$ (M = Fe, Ni), 205

Lithium
/Ag vanadium oxide cells, heat dissipation from, during storage and low-rate discharge, 179
/CuO battery performance, effects of additive material $CuFeS_2$ on, 119
/$Cu_4O(PO_4)_2$ couple; new version for long-life low-rate applications, 111
cycling characteristics of, effect of solvent blending on, 299
double-metal nitrides containing, preparation and electrochemical properties of, 311
graphite fluoride cathode in non-aqueous Li cell, discharge reaction and overpotential of, 87
–graphitic oxide cells; influence of electrolyte and cathode composition, 105
–I cells with additive in poly(2-vinylpyridine) iodide, long-term discharge characteristics of, 141
influence of water addition on structural and electrochemical behaviour of liquid ammoniates; study of $LiClO_4 \cdot 4NH_3$ ammoniate/$H_2O$ mixtures, 305
insertion of, into vanadium molybdenum oxides, 187
intercalated InSe cathode, electron and phonon aspects in, 213
intercalation materials with organic solvents and molten salts as electrolytes at temperatures between 60 and 175 °C, investigation of, 221
properties of LiCl layers formed on Li in various $SOCl_2$ solutions, 53
reduction of voltage delay in Li/$SOCl_2$ system; study of polymers with chlorine substituent groups as delay reducing additives, 61
/$SO_2$ cells, studies of high reliability long-life, 27
/$SOCl_2$ cells, discharge products of, *in situ* micro-Raman study of, 69
in sulfur dioxide electrolytes, a.c. impedance study of, 37
–thionyl chloride battery as memory back-up power source, characteristics of, 47
Lithium battery(ies)
in China, research and development of, 145
diffusion of Li in $TiO_2$ cathode of, 127

discharge characteristics of, with fibrous carbon fluoride, 99
the future of, round table discussion, 345
polyaniline/, 243
rechargeable
new anions as supporting electrolytes for, 287
development of, 3
employing porous thin film of $Cu_{3+\delta}Mo_6S_{7.9}$, 199
Nb(V) oxide in, electrochemical and structural characteristics of, 193
organic electrolyte solutions for, 273
secondary
anion behaviour in polyacetylene cathode for, 231
application of electrochemically formed polypyrrole in, analysis of anion diffusion process, 237
electrochemical behaviour of amorphous $V_2O_5(-P_2O_5)$ cathodes for, 173
ethylene carbonate/ether solvents for electrolytes in, 293
fibrous polyaniline as positive active material in, 249
stable electrolytes for, 19
testing techniques for materials used in, 75
Lithium battery cathode
amorphous chromium oxide, new, 151
Lithium cell(s)
solvent effects on rechargeable, 279
vanadium oxides for rechargeable as electrode materials, 165
in electrodes, 157
Lithium electrode(s)
cyclability of, 9
properties of passivating film on surface of, 259
Lithium electrolytes
effect of different internal surfaces in composite, 317
Lithium foils
for batteries, study of surface layers on, 265
Lithium perchlorate
polyether–polyurethane networks containing, mechanism of ionic conduction in, 339
structure–conductivity relationship in polymer electrolytes formed by network polymers from poly[dimethylsiloxane-g-poly(ethylene oxide)] and, 327
Lithium systems
impedance analysis of, 135

Memory back-up power source
characteristics of Li–thionyl chloride battery as, 47
Metal nitrides
double-, containing Li, preparation and electrochemical properties of, 311
Molybdenum
insertion of Li into vanadium, oxides, 187
rechargeable Li battery employing porous thin film of $Cu_{3+\delta}Mo_6S_{7.9}$, 199

Nickel
nature of oxidizing centres in transition metal phosphorus trisulfides $MPS_3$(M = Fe, Ni), 205
Niobium(V) oxide
in rechargeable Li battery, electrochemical and structural characteristics of, 193
Nitrides
double-metal, containing Li, preparation and electrochemical properties of, 311

Organic electrolyte solutions
for rechargeable Li batteries, 273
Organic solvents
and molten salts as electrolytes at temperatures between 60 and 175 °C, investigation of Li intercalation materials with, 221
Oxidizing centres
in transition metal phosphorus trisulfides $MPS_3$ (M = Fe, Ni), nature of, 205

Passivating film
on surface of Li electrodes, properties of, 259
Phosphorus
amorphous $V_2O_5(-P_2O_5)$ cathodes for Li secondary batteries, electrochemical behaviour of, 173

Li/$Cu_4O(PO_4)_2$ couple; new version for long-life low-rate applications, 111
Polyacetylene
cathode for secondary Li battery, anion behaviour in, 231
Polyaniline
fibrous, as positive active material in Li secondary batteries, 249
/Li battery, 243
Poly[dimethylsiloxane-g-poly(ethylene oxide)]
structure–conductivity relationship in polymer electrolytes formed by network polymers from, and lithium perchlorate, 327
Polyether
–polyurethane networks containing lithium perchlorate, mechanism of ionic conduction in, 339
Poly(ethylene oxide)
-bsed electrolytes, electrode kinetics in, 333
Polypyrrole
application of electrochemically formed, in Li secondary batteries, analysis of anion diffusion process, 237
Polyurethane
polyether–, networks containing lithium perchlorate, mechanism of ionic conduction in, 339
Poly(2-vinylpyridine) iodide
Li–I cells with additive in, long-term discharge characteristics of, 141
Positive active material
fibrous polyaniline as, in Li secondary batteries, 249

Reliability
studies of high, long-life Li/$SO_2$ cells, 27

Selenium
Li intercalated InSe cathode, electron and phonon aspects in, 213
Silver
Li/Ag vanadium oxide cells, heat dissipation from, during storage and low-rate discharge, 179
Solvent blending
effect of, on cycling characteristics of Li, 299
Solvent effects
on rechargeable Li cells, 279
Structural characteristics
of Nb(V) oxide in rechargeable Li battery, 193
Structure
–conductivity relationship in polymer electrolytes formed by network polymers from poly[dimethylsiloxane-g-poly(ethylene oxide)] and lithium perchlorate, 327
Sulfur
discharge products of Li/$SOCl_2$ cells, *in situ* micro-Raman study of, 69
effects of additive material $CuFeS_2$ on Li/CuO battery performance, 119
long-life Li/$SO_2$ cells, studies of high reliability, 27
properties of LiCl layers formed on Li in various $SOCl_2$ solutions, 53
rechargeable Li battery employing porous thin film of $Cu_{3+\delta}Mo_6S_{7.9}$, 199
reduction of voltage delay in Li/$SOCl_2$ system; study of polymers with chlorine substituent groups as delay reducing additives, 61
Sulfur dioxide
electrolytes, a.c. impedance study of Li in, 37

Testing package
materials, for batteries and energy conversion systems, 81
Testing techniques
for materials used in Li batteries, 75
Thionyl chloride
characteristics of Li–, battery as memory back-up power source, 47
Titanium
diffusion of Li in $TiO_2$ cathode of Li battery, 127
Transition metal phosphorus trisulfides
nature of oxidizing centres in $MPS_3$ (M = Fe, Ni), 205

Vanadium oxides
amorphous $V_2O_5(-P_2O_5)$ cathodes for Li secondary batteries, electrochemical behaviour of, 173

Li/Ag, cells, heat dissipation from, during storage and low-rate discharge, 179
Mo, insertion of Li into, 187
for rechargeable Li cells
as electrode materials, 165
in electrodes, 157
Voltage delay
in $Li/SOCl_2$ system, reduction of; study of polymers with chlorine substituent groups as delay reducing additives, 61

Water addition
influence of, on structural and electrochemical behaviour of liquid ammoniates; study of $LiClO_4 \cdot 4NH_3$ ammoniate/$H_2O$ mixtures, 305